

Purchase Order Receipt Listing

Thursday, November 10, 2016 3:59:16 PM

All amounts are calculated in domestic currency.

All Vendors PO ID PO34042 Receipt Dates from 11/10/2016 to 11/10/2016 All Line Item Types
All Item ID/GL/WOs All Rec. Employees All Currencies
Grouped by Vendor ID

| Purchase Order ID/ Curr Type | Line Nbr/ Insp Req | Project ID | Reference/ Description/ Cert Std | PO U/M / Stock U/M | Required Date Required Qty | Recv Date/ Recv Emp | Recv Qty (PO U/M) | Cost Per Unit/ Recv Value | Inspected Qty/ Rejected Qty (PO U/M) | MRB Qty/ MRB Reject Qty | Book Amt |
|---|-----------------------|------------|--|-----------------------|-------------------------------|------------------------|----------------------|------------------------------|--|----------------------------|----------|
| Vendor ID \ Vendor Name VU-MET002 A.M. Castle & Co. (Canada) Inc.- C/O 910720 | | | | | | | | | | | |
| PO34042 | 1 | | M7075T6B0.375X8.0 f | | 11/8/2016 | 11/10/2016 | 12.0000 | | 0.0000 | 0 | \$0.00 |
| USD | No | | 7075-T6 Plate 0.375" f | | 12.0000 | PLOU01 | | | 0.0000 | 0 | |
| | | | X 8.000", QQ-A | | | | | | | | |
| | | | 250/12 | | | | | | | | |
| | | | m136103 | | | | | | | | |
| | 2 | | M7075T6B5.000X0.3 f | | 11/8/2016 | 11/10/2016 | 12.0000 | | 0.0000 | 0 | \$0.00 |
| | No | | 75 | | | | | | | | |
| | | | 7075-T6 BAR 5.000" f | | 12.0000 | PLOU01 | | | 0.0000 | 0 | |
| | | | X 0.375" | | | | | | | | |
| | | | m136103 | | | | | | | | |
| | 3 | | M7075T6B6.000X0.2 f | | 11/8/2016 | 11/10/2016 | 12.0000 | | 0.0000 | 0 | \$0.00 |
| | No | | 50 | | | | | | 0.0000 | 0 | |
| | | | 7075-T6 BAR 6.000" f | | 12.0000 | PLOU01 | | | | | |
| | | | X 0.250" | | | | | | | | |
| | | | m136103 | | | | | | | | |
| | 4 | | M7075T6B6.000X1.0 f | | 11/8/2016 | 11/10/2016 | 12.0000 | | 0.0000 | 0 | \$0.00 |
| | No | | 00 | | | | | | 0.0000 | 0 | |
| | | | 7075-T6 BAR 6.000" f | | 12.0000 | PLOU01 | | | | | |
| | | | X 1.000" | | | | | | | | |
| | | | m136103 | | | | | | | | |
| | 6 | | 71401-45 | | 11/8/2016 | 11/10/2016 | 1.0000 | | 0.0000 | 0 | \$0.00 |
| | No | | PROCUREMENT | | 1.0000 | PLOU01 | | | 0.0000 | 0 | |
| | | | QUALITY | | | | | | | | |
| | | | CLAUSES | | | | | | | | |
| | | | m136103 | | | | | | | | |

Total Received Quantity: 49.0000
Total Qty to Inspect (PO U/M): 0.0000
Total Reject Quantity: 0.0000
Total Receipt Value: \$0.00
Total Balance Due Quantity: 0.0000


**INTERORG TRANSFER
PACKING SLIP/
CERTIFICATE OF CONFORMANCE**


Page 1 of 1

Shipment No: 3117003

| | | | | | | | |
|---|-------------------------|--|-----------------------|---|--|--|--|
| Ship From: A. M. CASTLE & CO. 3050 S HYDRAULIC WICHITA, KS 67216 USA | | Sold To: DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA | | Ship To: A. M. CASTLE & CO. 2150 ARGENTIA ROAD MISSISSAUGA, ON L5N 2K7 CAN | | Deliver To: DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA | |
| Date Shipped 02-NOV-16 | F.O.B. ORIGIN | Freight Terms Prepaid | Carrier ABF | BOL No 3117003-2 | | | |

Shipment Details

| | | | | | | | |
|---|-----------------------------------|---|---|--------------------------------|-------------------|--------------------|------------------------------------|
| Order No 4540762 | Line No 1 | Item No 750067.MO | Description 0.3750.PL.7075.T651.ALUMINUM.48.5000.144.5000 CUT 2SIDED TO 8 IN (+ .1250/- .0000 IN) X 144.5 IN (+ .1250/- .0000 IN) - ALUMINUM PLATE SAW SPECIFICATIONS: AMS-QQ-A-250/12 | | | | |
| Purchase Order No 34042 | | Part Number | Ordered Qty 1.00 PCS | Invoice Qty 1.00 PCS | | | |
| <p>Details</p> <p>ALL PAPERWORK MUST FOLLOW ORDER / CUSTOMER MUST RECEIVE AT TIME OF DELIVERY</p> <p>ALL MATERIAL MUST HAVE IDENTIFYING MARKINGS EX:HEAT #S</p> <p>Email P/s and certs to: clavotte@dartaero.com</p> <p>END USER: DART-AEROSPACE</p> <p>END USE: COMMERCIAL AIRCRAFT PARTS</p> <p style="text-align: right;">DAS 26 NOV 10 2016 9-89</p> | | | | | | | |
| Delivery No. 120638728 | Mill KAISER ALUMINUM | Heat Number  | Mech Id 1 | PCS 1 | Width (IN) | Length (IN) | Shipped Qty(LBS) 45.4181 |

| | |
|--|-------------------------|
| These commodities/technologies are subject to US Export Administration & US State Dept. Regulations and, if intended for export, were/are exported thereunder. Diversion contrary to US Law is Prohibited. | |
| We hereby certify the material covered by this certification conforms in accordance with the above specifications and has been found to meet the applicable requirements for the material, including any specifications forming a part of the description. Test reports are on file subject to examination. All claims for defective material are waived unless made in writing to Castle & Co. within 60 days of the shipment. Material cut to the correct size, or material cut by the customer cannot be returned for credit. | |
| Reviewed by Authorized Castle Metals Representative:  | Date: _____ Name: _____ |

These commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to US law prohibited.

Date Printed: 02-NOV-2016 03:05:43 PM

SHIP TO:

A M CASTLE & CO
3050 SOUTH HYDRAULIC
WICHITA, KS 67216

KAISER ALUMINUM

Trentwood Works - Spokane, WA 99215

Phone: (800) 367-2586

CERTIFIED TEST REPORT

Serial Number

4423896

SOLD TO:

AM CASTLE & CO- SOLD TO
1420 KENSINGTON RD
SUITE 220
OAK BROOK, IL 60523

| | | | | | | | | | |
|-------------------------------|--------------------------|--------------------------|------------------------------------|---------------------------------|---|-------------------------------------|--------------------------------------|------------------------|--|
| CUSTOMER PO NUMBER: 381969 | | WORK PACKAGE: | | CUSTOMER PART NUMBER: 750067 | | SHIP RUN/LOAD: 103612/20 | | GOV'T CONTRACT NUMBER: | |
| KAISER ORDER NO: 1214279 | LINE ITEM: 1 | SHIP DATE: 1-JUL-2016 | ALLOY: 7075 | CLAD: BARE | TEMPER: T651 | PRODUCT DESCRIPTION: Sawed Plate | | | |
| WEIGHT SHIPPED: 3248 LB | QUANTITY: 12 PCS EST. | TRUCK B/L #: 2061108 | GAUGE: 0.3750 IN (9.5250 MM) | | DIAMETER/WIDTH: 48.500 IN (1231.9 MM) | | LENGTH: 144.500 IN (3670.3 MM) | | |

MHU 2016093: LOT 178099B8: 12 pieces;

Certified Specifications

AMS 4045/RevL
CMMP 025/RevU

AMS-QQ-A-250/12/RevA

ASTM B 209/Rev14

Test Code: 1512

Test Results

Lot: 178099B8

Cast 211

Drop 90

Ingot 3

Melted in USA

(ASTM E8/B557)

(EN 2002-1)

| Tensile: | Temper | Dir / # Tests | Ultimate KSI (MPA) | Yield KSI (MPA) | Elongation % |
|----------|--------|------------------|----------------------------|----------------------------|--------------|
| | T651 | LT / 2 (Min:Max) | 89.0 : 89.3 (614 : 618) | 78.5 : 78.7 (541 : 543) | 13.0 : 13.2 |

(ASTM E1251)

| Chemistry: | SI | FE | CU | MN | MG | CR | ZN | TI | V | ZR | OTHER |
|-------------|------|------|-----|------|-----|------|-----|------|------|------|----------|
| Actual(wt%) | 0.05 | 0.11 | 1.6 | 0.01 | 2.6 | 0.19 | 6.0 | 0.02 | 0.01 | 0.01 | TOT 0.05 |

ALLOY LIMITS

| | SI | FE | CU | MN | MG | CR | ZN | TI | V | ZR | OTHER | MAX |
|----------|------|------|-----|------|-----|------|-----|------|------|------|-------|------|
| 7075 | | | | | | | | | | | | |
| MIN(wt%) | 0.00 | 0.00 | 1.2 | 0.00 | 2.1 | 0.18 | 5.1 | 0.00 | 0.00 | 0.00 | EACH | 0.05 |
| MAX(wt%) | 0.40 | 0.50 | 2.0 | 0.30 | 2.9 | 0.28 | 6.1 | 0.20 | 0.05 | 0.05 | TOT | 0.15 |

Aluminum Remainder

ORDER COMMENTS

AMC CA-15409 R 3





Trentwood Works - Spokane, WA 99215
Phone: (800) 367-2586

CERTIFIED TEST REPORT

Serial Number
4423896

CERTIFICATION

Kaiser Aluminum Fabricated Products, LLC (Kaiser), is ISO 9001:2008/AS9100C certified and hereby certifies that all material shipped under this order:

- has been inspected, tested, and found to be in conformance with the requirements of the specifications indicated herein. For material thicknesses outside specification limits, mechanical properties are as shown herein and chemical composition meets specification requirements.

- was melted in the United States of America or a qualifying country per DFARS 225.B72-1(a), was manufactured in the United States of America, and meets the requirements of DFARS 252.225 for domestic content.

- has been thermally processed in compliance with AMS 2772, where applicable.

- is mercury free, within the limits of detection of ASTM E1251 (< 1 ppm).

- is in compliance with RoHS 2, European Union Directive 2011/65/EU.

- is in compliance with and regularly monitors any updates to the European Chemical Agency, ECHA, REACH regulations, (EC) n°1907/2008.

- is free of Conflict Minerals, as defined in Section 15.2 of the Dodd-Frank Act.

Any warranty is limited to that shown on Kaiser Aluminum's standard general terms and conditions of sale. Test reports are on file, subject to examination. Test reports shall not be reproduced except in full, without the written approval of the Kaiser Aluminum laboratory. The recording of false, fictitious or fraudulent statements or entries on the certificate may be punished as a felony under federal law.

JAMES HEMENWAY, TECHNICAL PROCESS MANAGER




**INTERORG TRANSFER
PACKING SLIP/
CERTIFICATE OF CONFORMANCE**

Page 1 of 1


Shipment No: 3117003

| | | | | | | | |
|---|-------------------------|--|-----------------------|---|--|--|--|
| Ship From: A. M. CASTLE & CO. 3050 S HYDRAULIC WICHITA, KS 67216 USA | | Sold To: DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA | | Ship To: A. M. CASTLE & CO. 2150 ARGENTIA ROAD MISSISSAUGA, ON L5N 2K7 CAN | | Deliver To: DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA | |
| Date Shipped 02-NOV-16 | F.O.B. ORIGIN | Freight Terms Prepaid | Carrier ABF | BOL No 3117003-2 | | | |

Shipment Details

| Final Destination Branch - TOR | | | | | | | |
|-----------------------------------|-----------------------------------|---|---|---|-------------------|--------------------|------------------------------------|
| Order No | Line No | Item No | Description | Ordered Qty | Invoice Qty | | |
| 4540762 | 2 | 750067.MO | 0.3750.PL.7075.T651.ALUMINUM.48.5000.144.5000 CUT 2SIDED TO 5 IN (+ .1250/- .0000 IN) X 144.5 IN (+ .1250/- .0000 IN) - ALUMINUM PLATE SAW SPECIFICATIONS: AMS-QQ-A-250/12 | 1.00 PCS | 1.00 PCS | | |
| Purchase Order No 34042 | | | | Part Number | | | |
| Details | | | | ALL PAPERWORK MUST FOLLOW ORDER / CUSTOMER MUST RECEIVE AT TIME OF DELIVERY ALL MATERIAL MUST HAVE IDENTIFYING MARKINGS EX: HEAT #S Email P/s and certs to: clavoie@artaero.com END USER: DART AEROSPACE END USE: COMMERCIAL AIRCRAFT PARTS | | | |
| Delivery No. 120638728 | Mill KAISER ALUMINUM | Heat Number  | Mech Id 1 | PCS 1 | Width (IN) | Length (IN) | Shipped Qty(LBS) 28.3863 |

DAS
26
NOV 10 2016

| | |
|--|-------------------------|
| These commodities/technologies are subject to US Export Administration & US State Dept. Regulations and, if intended for export, were/are exported thereunder. Diversion contrary to US Law is Prohibited. | |
| We hereby certify the material covered by this certification conforms in accordance with the above specifications and has been found to meet the applicable requirements for the material, including any specifications forming a part of the description. Test reports are on file subject to examination. All claims for defective material are waived unless made in writing to A. M. Castle & Co. within 60 days of the shipment. Material cut to the correct size, or material cut by the customer cannot be returned for credit. | |
| Reviewed by Authorized Castle Metals Representative:  | Date: _____ Name: _____ |

SHIP TO:

A M CASTLE & CO
3050 SOUTH HYDRAULIC
WICHITA, KS 67216

KAISER ALUMINUM

Trentwood Works - Spokane, WA 99215

Phone: (800) 367-2586

CERTIFIED TEST REPORT

SOLD TO:

AM CASTLE & CO- SOLD TO
1420 KENSINGTON RD
SUITE 220
OAK BROOK, IL 60523

Serial Number

4423896

| | | | | | | | |
|-------------------------------|--------------------------|--------------------------|------------------------------------|---------------|---|--------------------------------------|--|
| CUSTOMER PO NUMBER: 381969 | | WORK PACKAGE: | CUSTOMER PART NUMBER: 750067 | | SHIP RUN/LOAD: 103612/20 | GOV'T CONTRACT NUMBER: | |
| KAISER ORDER NO: 1214279 | LINE ITEM: 1 | SHIP DATE: 1-JUL-2016 | ALLOY: 7075 | CLAD: BARE | TEMPER: T651 | PRODUCT DESCRIPTION: Sawed Plate | |
| WEIGHT SHIPPED: 3248 LB | QUANTITY: 12 PCS EST. | TRUCK B/L #: 2061108 | GUAGE: 0.3750 IN (9.5250 MM) | | DIAMETER/WIDTH: 48.500 IN (1231.9 MM) | LENGTH: 144.500 IN (3670.3 MM) | |

MHU 2016093: LOT 178099B8: 12 pieces;

Certified Specifications

AMS 4045/RevL
CMMP 025/RevU

DAS
48
9-89
16/11/20

AMS-QQ-A-250/12/RevA

ASTM B 209/Rev 14

Test Code: 1512

Test Results

Lot: 178099B8

Cast 211

Drop 90

Ingot 3

Melted in USA

(ASTM E8/B557)

(EN 2002-1)

| Tensile: | Temper | Dir / # Tests | Ultimate KSI (MPA) | Yield KSI (MPA) | Elongation % |
|----------|--------|------------------|----------------------------|----------------------------|--------------|
| | T651 | LT / 2 (Min:Max) | 89.0 : 89.3 (614 : 616) | 78.5 : 78.7 (541 : 543) | 13.0 : 13.2 |

(ASTM E1251)

| Chemistry: | SI | FE | CU | MN | MG | CR | ZN | TI | V | ZR | OTHER |
|-------------|------|------|-----|------|-----|------|-----|------|------|------|----------|
| Actual(wt%) | 0.05 | 0.11 | 1.6 | 0.01 | 2.6 | 0.19 | 6.0 | 0.02 | 0.01 | 0.01 | TOT 0.05 |

ALLOY LIMITS

| | SI | FE | CU | MN | MG | CR | ZN | TI | V | ZR | OTHER | MAX |
|----------|------|------|-----|------|-----|------|-----|------|------|------|-------|------|
| 7075 | | | | | | | | | | | | |
| MIN(wt%) | 0.00 | 0.00 | 1.2 | 0.00 | 2.1 | 0.18 | 5.1 | 0.00 | 0.00 | 0.00 | EACH | 0.05 |
| MAX(wt%) | 0.40 | 0.50 | 2.0 | 0.30 | 2.9 | 0.28 | 6.1 | 0.20 | 0.05 | 0.05 | TOT | 0.15 |

Aluminum Remainder

ORDER COMMENTS

AMC CA-15409 R 3



KAISER ALUMINUM

Trentwood Works - Spokane, WA 99215
Phone: (800) 367-2586

CERTIFIED TEST REPORT

Serial Number
4423896

CERTIFICATION

Kaiser Aluminum Fabricated Products, LLC (Kaiser), is ISO 9001:2008/AS9100C certified and hereby certifies that all material shipped under this order:

- * has been inspected, tested, and found to be in conformance with the requirements of the specifications indicated herein. For material thicknesses outside specification limits, mechanical properties are as shown herein and chemical composition meets specification requirements.
 - * was melted in the United States of America or a qualifying country per DFARS 225.872-1(a), was manufactured in the United States of America, and meets the requirements of DFARS 252.225 for domestic content.
 - * has been thermally processed in compliance with AMS 2772, where applicable.
 - * is mercury free, within the limits of detection of ASTM E1251 (< 1 ppm).
 - * is in compliance with RoHS 2, European Union Directive 2011/65/EU.
 - * is in compliance with and regularly monitors any updates to the European Chemical Agency, ECHA, REACH regulations, IEC) n°1907/2006.
 - * is free of Conflict Minerals, as defined in Section 15.2 of the Dodd-Frank Act.
- Any warranty is limited to that shown on Kaiser Aluminum's standard general terms and conditions of sale. Test reports are on file, subject to examination. Test reports shall not be reproduced except in full, without the written approval of the Kaiser Aluminum laboratory. The recording of false, fictitious or fraudulent statements or entries on the certificate may be punished as a felony under federal law.



JAMES HEMENWAY, TECHNICAL PROCESS MANAGER




**INTERORG TRANSFER
PACKING SLIP/
CERTIFICATE OF CONFORMANCE**

Page 1 of 1

Shipment No: 3117003

| | | | | | | | |
|---|-------------------------|--|--|---|----------------------------|--|--|
| Ship From: A. M. CASTLE & CO. 3050 S HYDRAULIC WICHITA, KS 67216 USA | | Sold To: DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA | | Ship To: A. M. CASTLE & CO. 2150 ARGENTIA ROAD MISSISSAUGA, ON L5N 2K7 CAN | | Deliver To: DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA | |
| Date Shipped 02-NOV-16 | F.O.B. ORIGIN | Freight Terms Prepaid | | Carrier ABF | BOL No 3117003-2 | | |

Shipment Details

| Order No | Line No | Item No | Description |
|--|--------------------|--|---|
| 4540762 | 3 | 750023.MO | 0.2500.PL.7075.T651.ALUMINUM.48.5000.144.5000 CUT 2SIDED TO 6 IN (+ .1250/- .0000 IN) X 109.2 IN (+ .1250/- .0000 IN) - ALUMINUM PLATE SAW SPECIFICATIONS: AMS-QQ-A-250/12 |
| Purchase Order No 34042 | Part Number | Ordered Qty 1.00 PCS | Invoice Qty 1.00 PCS |
| <p>Details</p> <p>ALL PAPERWORK MUST FOLLOW ORDER / CUSTOMER MUST RECEIVE AT TIME OF DELIVERY</p> <p>ALL MATERIAL MUST HAVE IDENTIFYING MARKINGS EX: HEAT #S</p> <p>Email P/s and certs to: clavoie@artaero.com</p> <p>END USER: DART AEROSPACE</p> <p>END USE: COMMERCIAL AIRCRAFT PARTS</p> <p style="text-align: right;">NOV 10 2016</p> | | | |
| Delivery No. | Mill | Heat Number | Mech Id |
| 120638728 | KAISER ALUMINUM |  1 6 1 5 6 4 8 0 DAS 48 9-89 16/11/20 | PCS 1 Width (IN) Length (IN) Shipped Qty(LBS) 17.2717 |

These commodities/technologies are subject to US Export Administration & US State Dept. Regulations and, if intended for export, were/are exported thereunder. Diversion contrary to US Law is Prohibited.

We hereby certify the material covered by this certification conforms in accordance with the above specifications and has been found to meet the applicable requirements for the material, including any specifications forming a part of the description. Test reports are on file subject to examination. All claims for defective material are waived unless made in writing within 60 days of the shipment. Material cut to the correct size, or material cut by the customer cannot be returned for credit.

Reviewed by Authorized Castle Metals Representative: *William R. Hayes* Date: *11/10/20* Name: *William R. Hayes*

SHIP TO:

A M CASTLE & CO
3050 SOUTH HYDRAULIC
WICHITA, KS 67216

KAISER ALUMINUM

Trentwood Works - Spokane, WA 99215
Phone: (800) 367-2586

SOLD TO:

AM CASTLE & CO- SOLD TO
1420 KENSINGTON RD
SUITE 220
OAK BROOK, IL 60523

CERTIFIED TEST REPORT

Serial Number

4404256

| | | | | | | | | | | | |
|-------------------------------|--|--------------------------|---------------------------|---------------------------------|---------------|------------------------------------|-------------------------------------|---|--|--------------------------------------|--|
| CUSTOMER PO NUMBER: 361527 | | WORK PACKAGE: | | CUSTOMER PART NUMBER: 750023 | | SHIP RUN/LOAD: 103444/4 | | GOV'T CONTRACT NUMBER: | | | |
| KAISER ORDER NO: 1205164 | | LINE ITEM: 1 | SHIP DATE: 13-JAN-2016 | ALLOY: 7075 | CLAD: BARE | TEMPER: T651 | PRODUCT DESCRIPTION: Sawed Plate | | | | |
| WEIGHT SHIPPED: 3214 LB | | QUANTITY: 18 PCS EST. | | TRUCK B/L #: 2058075 | | GAUGE: 0.2500 IN (6.3500 MM) | | DIAMETER/WIDTH: 48.500 IN (1231.9 MM) | | LENGTH: 144.500 IN (3670.3 MM) | |

MHU 1966999: LOT 161564B0: 18 pieces;

Certified Specifications

AMS 4045/RevK
CMMP 025/RevU

DAS
48
9-89

AMS-QQ-A-250/12/RevA

ASTM B 209/Rev14

Test Code: 1512

Test Results

Lot: 161564B0

Cast 120

Drop 08

Ingot 2

Melted in USA

(ASTM E8/B557)

(EN 2002-1)

| | | | | | |
|----------|--------|------------------|----------------------------|----------------------------|--------------|
| Tensile: | Temper | Dir / # Tests | Ultimate KSI (MPA) | Yield KSI (MPA) | Elongation % |
| | T651 | LT / 2 (Min:Max) | 85.7 : 85.9 (591 : 592) | 75.3 : 75.6 (519 : 521) | 11.7 : 12.6 |

(ASTM E1251)

| | | | | | | | | | | | |
|-------------|------|------|-----|------|-----|------|-----|------|------|------|----------|
| Chemistry: | SI | FE | CU | MN | MG | CR | ZN | TI | V | ZR | OTHER |
| Actual(wt%) | 0.08 | 0.19 | 1.5 | 0.04 | 2.5 | 0.21 | 5.7 | 0.04 | 0.01 | 0.01 | TOT 0.05 |



KAISER ALUMINUM

Trentwood Works - Spokane, WA 99215
Phone: (800) 367-2586

CERTIFIED TEST REPORT

Serial Number
4404256

ALLOY LIMITS

| | SI | FE | CU | MN | MG | CR | ZN | TI | V | ZR | OTHER | MAX |
|----------|------|------|-----|------|-----|------|-----|------|------|------|-------|------|
| 7075 | | | | | | | | | | | | |
| MIN(wt%) | 0.00 | 0.00 | 1.2 | 0.00 | 2.1 | 0.18 | 5.1 | 0.00 | 0.00 | 0.00 | EACH | 0.05 |
| MAX(wt%) | 0.40 | 0.50 | 2.0 | 0.30 | 2.9 | 0.28 | 6.1 | 0.20 | 0.05 | 0.05 | TOT | 0.15 |

Aluminum Remainder

ORDER COMMENTS

AMC CA-15409 R 3
AMS 4045,AMS QQ-A-250/12,ASTM B209,CMMP
025

CERTIFICATION

Kaiser Aluminum Fabricated Products, LLC (Kaiser), is ISO-9001:2008/AS9100C certified and hereby certifies that all material shipped under this order:

- * has been inspected, tested, and found to be in conformance with the requirements of the specifications indicated herein. For material thicknesses outside specification limits, mechanical properties are as shown herein and chemical composition meets specification requirements.
- * was melted in the United States of America or a qualifying country per DFARS 225.872-1(a), was manufactured in the United States of America, and meets the requirements of DFARS 252.225 for domestic content.
- * has been thermally processed in compliance with AMS 2772, where applicable.
- * is mercury free, within the limits of detection of ASTM E1251 (< = 1ppm).
- * is in compliance with RoHS 2, European Union Directive 2011/65/EU.
- * is in compliance with and regularly monitors any updates to the European Chemical Agency, ECHA, REACH regulations, (EC) n°1907/2006.
- * is free of Conflict Minerals, as defined in Section 15.2 of the Dodd-Frank Act.

Any warranty is limited to that shown on Kaiser Aluminum's standard general terms and conditions of sale. Test reports are on file, subject to examination. Test reports shall not be reproduced except in full, without the written approval of the Kaiser Aluminum laboratory. The recording of false, fictitious or fraudulent statements or entries on the certificate may be punished as a felony under federal law.

James Hemenway

JAMES HEMENWAY, LABORATORIES SUPERVISOR




**INTERORG TRANSFER
PACKING SLIP/
CERTIFICATE OF CONFORMANCE**

Page 1 of 1

Shipment No:3117003

| | | | | | | | |
|---|-------------------------|--|-----------------------|---|--|--|--|
| Ship From: A. M. CASTLE & CO. 3050 S HYDRAULIC WICHITA, KS 67216 USA | | Sold To: DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA | | Ship To: A. M. CASTLE & CO. 2150 ARGENTIA ROAD MISSISSAUGA, ON L5N 2K7 CAN | | Deliver To: DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA | |
| Date Shipped 02-NOV-16 | F.O.B. ORIGIN | Freight Terms Prepaid | Carrier ABF | BOL No 3117003-2 | | | |

Shipment Details

| Order No | Line No | Item No | Description |
|--|-----------------------------------|--|--|
| 4540762 | 4 | 752188.MO | 1.0000.PL.7075.T651 ALUMINUM.USL48.5000.144.5000 CUT 2SIDED TO 6 IN (+ .1250/- .0000 IN) X 144.5 IN (+ .1250/- .0000 IN) - ALUMINUM PLATE SAW SPECIFICATIONS: AMS-QQ-A-250/12 |
| Purchase Order No 34042 | Part Number | | Ordered Qty 1.00 PCS |
| Details | | Invoice Qty 1.00 PCS | |
| <p>ALL PAPERWORK MUST FOLLOW ORDER / CUSTOMER MUST RECEIVE AT TIME OF DELIVERY</p> <p>ALL MATERIAL MUST HAVE IDENTIFYING MARKINGS EX:HEAT #S</p> <p>Email P/s and certs to: clayvie@dartaero.com</p> <p>END USER: DART AEROSPACE</p> <p>END USE: COMMERCIAL AIRCRAFT PARTS</p> <p style="text-align: right;">NOV 10 2016</p> | | | |
| Delivery No. 120638728 | Mill KAISER ALUMINUM | Heat Number  786978A71 | Mech Id 1 |
| | Width (IN) | Length (IN) | Shipped Qty(LBS) 90.2818 |

| | | |
|---|--|---|
| <p>These commodities/technologies are subject to US Export Administration & US State Dept. Regulations and, if intended for export, were/are exported thereunder. Diversion contrary to US Law is Prohibited.</p> <p>We hereby certify the material covered by this certification conforms in accordance with the above specifications and has been found to meet the applicable requirements for the material, including any specifications forming a part of the description. Test reports are on file subject to examination. All claims for defective material are waived unless made in writing to A. M. Castle & Co. within 60 days of the shipment. Material cut by the customer cannot be returned for credit.</p> <p>Reviewed by Authorized Castle Metals Representative: <i>William K. Hayes</i> ^{K-40 K5}</p> | | <p>Date: Name: Date: Name:</p> |
|---|--|---|

These commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to US law prohibited.

Date Printed: 02-NOV-2016 03:05:43 PM

SHIP TO:

A M CASTLE & CO
3050 SOUTH HYDRAULIC
WICHITA, KS 67216

KAISER ALUMINUM

Trentwood Works - Spokane, WA 99215
Phone: (800) 367-2586

SOLD TO:

AM CASTLE & CO- SOLD TO
1420 KENSINGTON RD
SUITE 220
OAK BROOK, IL 60523

CERTIFIED TEST REPORT

Serial Number
4418079

| | | | | | | | | | | |
|-------------------------------|--|-------------------------|--------------------------|---------------------------------|---------------|--------------------------------------|--|--|--|--------------------------------------|
| CUSTOMER PO NUMBER: 378812 | | WORK PACKAGE: | | CUSTOMER PART NUMBER: 752188 | | SHIP RUN/LOAD: 103558/22 | | GOV'T CONTRACT NUMBER: | | |
| KAISER ORDER NO: 1212700 | | LINE ITEM: 1 | SHIP DATE: 9-MAY-2016 | ALLOY: 7075 | CLAD: BARE | TEMPER: T651 | PRODUCT DESCRIPTION: KaiserSelect Plate | | | |
| WEIGHT SHIPPED: 3626 LB | | QUANTITY: 5 PCS EST. | | TRUCK B/L #: 2060184 | | GAUGE: 1.0000 IN (25.4000 MM) | | DIAMETER/MOTH: 48.500 IN (1231.9 MM) | | LENGTH: 144.500 IN (3670.3 MM) |

MHU 2001704: LOT 786935A7: 4 pieces;

MHU 2001832: LOT 786978A7: 1 pieces;

Certified Specifications

AMS 4045/RevK
ASTM B 209/Rev
BSS 7055/RevB
DPS 4.713/RevAK
PS 21211/RevP

AMS-QQ-A-250/12/RevA
ASTM B 594/Rev13
CMMP 025/RevU
GAMPS 9101/RevB/AmdSCN1

AMS-STD-2154/RevA
BAC 5439/RevJ
CSTI 006/RevE
GSS16100/RevG/Amd1

Test Code: 4512

Test Results

Lot: 786935A7

Cast 189

Drop 34

Ingot 3

Parent Lot: 17393089 Melted in USA

(ASTM E8/B557)

(EN 2002-1)

| | | | | | |
|----------|--------|------------------|----------------------------|----------------------------|--------------|
| Tensile: | Temper | Dir / # Tests | Ultimate KSI (MPA) | Yield KSI (MPA) | Elongation % |
| | T651 | LT / 2 (Min:Max) | 82.8 : 83.5 (571 : 576) | 73.5 : 74.8 (507 : 516) | 13.1 : 13.2 |

(ASTM E1251)

| | | | | | | | | | | | |
|-------------|------|------|-----|------|-----|------|-----|------|------|------|----------|
| Chemistry: | SI | FE | CU | MN | MG | CR | ZN | TI | V | ZR | OTHER |
| Actual(wt%) | 0.07 | 0.19 | 1.5 | 0.02 | 2.5 | 0.19 | 5.8 | 0.02 | 0.01 | 0.01 | TOT 0.06 |



KAISER ALUMINUM

Trentwood Works - Spokane, WA 99215
Phone: (800) 367-2586

CERTIFIED TEST REPORT

Serial Number
4418079

DAS
48
9-89

Lot: 786978A7 Cast 189

Drop 55

Ingot 2

Parent Lot: 173877B2 Melted in USA

(ASTM E8/8557)
(EN 2002-1)

| Tensile: | Temper | Dir / # Tests | Ultimate KSI (MPA) | Yield KSI (MPA) | Elongation % |
|----------|--------|------------------|----------------------------|----------------------------|--------------|
| | T651 | LT / 2 (Min:Max) | 83.1 : 83.7 (573 : 577) | 74.0 : 75.0 (510 : 517) | 12.9 : 13.0 |

(ASTM E1251)

| Chemistry: | SI | FE | CU | MN | MG | CR | ZN | TI | V | ZR | OTHER |
|-------------|------|------|-----|------|-----|------|-----|------|------|------|----------|
| Actual(wt%) | 0.08 | 0.13 | 1.6 | 0.02 | 2.5 | 0.20 | 5.6 | 0.02 | 0.01 | 0.01 | TOT 0.05 |

ALLOY LIMITS

| | SI | FE | CU | MN | MG | CR | ZN | TI | V | ZR | OTHER | MAX |
|----------|------|------|-----|------|-----|------|-----|------|------|------|-------|------|
| 7075 | | | | | | | | | | | | |
| MIN(wt%) | 0.00 | 0.00 | 1.2 | 0.00 | 2.1 | 0.18 | 5.1 | 0.00 | 0.00 | 0.00 | EACH | 0.05 |
| MAX(wt%) | 0.40 | 0.50 | 2.0 | 0.30 | 2.8 | 0.28 | 6.1 | 0.20 | 0.05 | 0.05 | TOT | 0.15 |

Aluminum Remainder

ORDER COMMENTS
AMC CA-15403 R 8

TEST NOTES

Metal represented by this test report was 100% Type I
(immersion) ultrasonically tested from one side with 3mm
dead zones top and bottom and meets the Class A and Class B
requirements of all specifications referenced on this test
report. No surface marking of sonic indications is
performed.

CERTIFICATION

Kaiser Aluminum Fabricated Products, LLC (Kaiser), is ISO-9001:2008/AS9100C certified and hereby certifies that all material shipped under this order:
* has been inspected, tested, and found to be in conformance with the requirements of the specifications indicated herein. For material thicknesses outside specification limits, mechanical properties are
as shown herein and chemical composition meets specification requirements.
* was melted in the United States of America or a qualifying country per DFARS 225.872-1(a), was manufactured in the United States of America, and meets the requirements of DFARS 252.225 for
domestic content.
* has been thermally processed in compliance with AMS 2772, where applicable.
* is mercury free, within the limits of detection of ASTM E1251 (< = 1ppm).
* is in compliance with RoHS 2, European Union Directive 2011/65/EU.
* is in compliance with and regularly monitors any updates to the European Chemical Agency, ECHA, REACH regulations, (EC) n°1807/2006.
* is free of Conflict Minerals, as defined in Section 15.2 of the Dodd-Frank Act.
Any warranty is limited to that shown on Kaiser Aluminum's standard general terms and conditions of sale. Test reports are on file, subject to examination. Test reports shall not be reproduced except in
full, without the written approval of the Kaiser Aluminum laboratory. The recording of false, fictitious or fraudulent statements or entries on the certificate may be punished as a felony under federal law.

James Hemenway

JAMES HEMENWAY, TECHNICAL PROCESS MANAGER

Page 2 of 2



MATERIAL RECEIPT INSPECTION FORM

MATERIAL: M7075T6B6.000X.250

PO / BATCH NO.: P034042/136103

DATE: 16/11/20

MATERIAL CERT REC'D: yes

THICKNESS ORDERED: .250

QUANTITY RECEIVED: 9'

THICKNESS RECEIVED: .249

QUANTITY INSPECTED: 9'

SHEET SIZE ORDERED: 8

QUANTITY REJECTED: 0

SHEET SIZE RECEIVED: 8

| DESCRIPTION | NCR (Check Y/N) | COMMENTS |
|--|-----------------------|--------------------|
| SURFACE DAMAGE | Y (N) | |
| CORRECT FINISH | (Y) N | |
| CORROSION | Y (N) | |
| CORRECT GRAIN DIRECTION | (Y) N | |
| CORRECT MATERIAL | (Y) N | 7075 T6 |
| CORRECT THICKNESS | (Y) N | .249 |
| PHOTO REQUIRED | Y (N) | |
| CORRECT MATERIAL | (Y) N | AMS-QQ-A-250/12 |
| CORRECT REF # TO LINK CERT | (Y) N | Heat # 161564B0 |
| CORRECT MATERIAL IDENTIFICATION | (Y) N | M7075T6B6.000X.250 |
| CORRECT M# ON THE MATERIAL | (Y) N | u 136103 |
| DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF | Y (N) | |
| DOES THIS REQUIRE AN EXTRUSION REPORT | Y (N) | |

CUT SAMPLE PIECE OF MATERIAL AND PREFORM A HARDNESS CHECK.
RECORD RESULTS BELOW

| TYPE OF MATERIAL | HRC | HRB | DUR A | DUR D |
|------------------------------|-----|-----|-------|-------|
| SIZE OF TEST SAMPLE | | | | |
| HARDNESS / DUROMETER READING | | | | |

testers located in the Quality Office

| | | | |
|-------------------------|----------------------|-----------------------------------|--|
| QC 18 INSPECTION | | ENGINEERING SIGNOFF (if required) | |
| INSPECTED BY: <u>48</u> | SIGNED OFF BY: _____ | | |
| DATE: <u>16/11/20</u> | DATE: _____ | | |

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in

MATERIAL RECEIPT INSPECTION FORM

MATERIAL: M 7075 T6 B0.375 x 8.000

PO / BATCH NO.: PO 34042 / 136103

DATE: 16/11/20

MATERIAL CERT REC'D: yes

THICKNESS ORDERED: .375

QUANTITY RECEIVED: 12'

THICKNESS RECEIVED: .379

QUANTITY INSPECTED: 12'

SHEET SIZE ORDERED: Ø

QUANTITY REJECTED: Ø

SHEET SIZE RECEIVED: Ø

| DESCRIPTION | NCR (Check Y/N) | COMMENTS |
|--|--|--------------------------|
| SURFACE DAMAGE | Y <input checked="" type="checkbox"/> N <input type="checkbox"/> | |
| CORRECT FINISH | Y <input checked="" type="checkbox"/> N <input type="checkbox"/> | |
| CORROSION | Y <input checked="" type="checkbox"/> N <input type="checkbox"/> | |
| CORRECT GRAIN DIRECTION | Y <input checked="" type="checkbox"/> N <input type="checkbox"/> | |
| CORRECT MATERIAL | Y <input checked="" type="checkbox"/> N <input type="checkbox"/> | AMS-GG-A-250/12 |
| CORRECT THICKNESS | Y <input checked="" type="checkbox"/> N <input type="checkbox"/> | |
| PHOTO REQUIRED | Y <input checked="" type="checkbox"/> N <input type="checkbox"/> | |
| CORRECT MATERIAL | Y <input checked="" type="checkbox"/> N <input type="checkbox"/> | 7075 T6 |
| CORRECT REF # TO LINK CERT | Y <input checked="" type="checkbox"/> N <input type="checkbox"/> | Heat # 17809108 |
| CORRECT MATERIAL IDENTIFICATION | Y <input checked="" type="checkbox"/> N <input type="checkbox"/> | M 7075 T6 B0.375 x 8.000 |
| CORRECT M# ON THE MATERIAL | Y <input checked="" type="checkbox"/> N <input type="checkbox"/> | M 136103 |
| DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF | Y <input type="checkbox"/> N <input checked="" type="checkbox"/> | |
| DOES THIS REQUIRE AN EXTRUSION REPORT | Y <input type="checkbox"/> N <input checked="" type="checkbox"/> | |

CUT SAMPLE PIECE OF MATERIAL AND PREFORM A HARDNESS CHECK.
RECORD RESULTS BELOW

| | HRC | HRB | DUR A | DUR D |
|------------------------------|-----|-----|-------|-------|
| TYPE OF MATERIAL | | | | |
| SIZE OF TEST SAMPLE | | | | |
| HARDNESS / DUROMETER READING | | | | |

testers located in the Quality Office

| | |
|--|-------------------------------------|
| QC 18 INSPECTION | ENGINEERING SIGNOFF (if required) |
| INSPECTED BY: <u>48</u> DATE: <u>16/11/20</u> | SIGNED OFF BY: _____ DATE: _____ |

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in

MATERIAL RECEIPT INSPECTION FORM

MATERIAL: M 7075 T6 B5.000 X 0.375 PO / BATCH NO.: PO 34072 / 136103
 DATE: 16/11/20

MATERIAL CERT REC'D: yes
 QUANTITY RECEIVED: 12'
 QUANTITY INSPECTED: 12'
 QUANTITY REJECTED: 0

THICKNESS ORDERED: .375
 THICKNESS RECEIVED: .380
 SHEET SIZE ORDERED: 0
 SHEET SIZE RECEIVED: 0

| DESCRIPTION | NCR (Check Y/N) | | COMMENTS |
|--|-----------------------|---|--------------------------|
| SURFACE DAMAGE | Y | N | |
| CORRECT FINISH | Y | N | |
| CORROSION | Y | N | |
| CORRECT GRAIN DIRECTION | Y | N | |
| CORRECT MATERIAL | Y | N | AMS - QQ-A-250/12 |
| CORRECT THICKNESS | Y | N | .380 |
| PHOTO REQUIRED | Y | N | |
| CORRECT MATERIAL | Y | N | 7075 T6 |
| CORRECT REF # TO LINK CERT | Y | N | Heat # 178094B8 |
| CORRECT MATERIAL IDENTIFICATION | Y | N | M 7075 T6 B5.000 X 0.375 |
| CORRECT M# ON THE MATERIAL | Y | N | M 136103 |
| DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF | Y | N | |
| DOES THIS REQUIRE AN EXTRUSION REPORT | Y | N | |

| CUT SAMPLE PIECE OF MATERIAL AND PREFORM A HARDNESS CHECK. RECORD RESULTS BELOW | | | | | |
|--|-----|-----|-------|-------|--|
| TYPE OF MATERIAL SIZE OF TEST SAMPLE HARDNESS / DUROMETER READING | HRC | HRB | DUR A | DUR D | |
| | | | | | |
| | | | | | |

testers located in the Quality Office

| | | | |
|-------------------------|----------------------|-----------------------------------|--|
| QC 18 INSPECTION | | ENGINEERING SIGNOFF (if required) | |
| INSPECTED BY: <u>48</u> | SIGNED OFF BY: _____ | | |
| DATE: <u>16/11/20</u> | DATE: _____ | | |

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in

MATERIAL RECEIPT INSPECTION FORM

MATERIAL: M7075T6 B6.000x1.000

PO / BATCH NO.: P034042/136103

DATE: 16/11/21

MATERIAL CERT REC'D: yes

THICKNESS ORDERED: 1.000

QUANTITY RECEIVED: 12'

THICKNESS RECEIVED: 1.009

QUANTITY INSPECTED: 12'

SHEET SIZE ORDERED: Ø

QUANTITY REJECTED: Ø

SHEET SIZE RECEIVED: Ø

| DESCRIPTION | NCR (Check Y/N) | COMMENTS |
|--|-----------------------|----------------------|
| SURFACE DAMAGE | Y (N) | |
| CORRECT FINISH | (Y) N | |
| CORROSION | Y (N) | |
| CORRECT GRAIN DIRECTION | (Y) N | |
| CORRECT MATERIAL | (Y) N | AMS-QQ-A-250/12 |
| CORRECT THICKNESS | (Y) N | 1.009 |
| PHOTO REQUIRED | Y (N) | |
| CORRECT MATERIAL | (Y) N | 7075 T6 |
| CORRECT REF # TO LINK CERT | (Y) N | Heat # 786978 A+ |
| CORRECT MATERIAL IDENTIFICATION | (Y) N | M7075T6 B6.000x1.000 |
| CORRECT M# ON THE MATERIAL | (Y) N | M136103 |
| DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF | Y (N) | |
| DOES THIS REQUIRE AN EXTRUSION REPORT | Y (N) | |

| CUT SAMPLE PIECE OF MATERIAL AND PREFORM A HARDNESS CHECK. RECORD RESULTS BELOW | | | | |
|--|-----|-----|-------|-------|
| TYPE OF MATERIAL | HRC | HRB | DUR A | DUR D |
| SIZE OF TEST SAMPLE | | | | |
| HARDNESS / DUROMETER READING | | | | |

testers located in the Quality Office

| | | |
|---------------------------|----------------------|-----------------------------------|
| QC 18 INSPECTION | 48 | ENGINEERING SIGNOFF (if required) |
| INSPECTED BY: <u>9-89</u> | SIGNED OFF BY: _____ | |
| DATE: <u>16/11/20</u> | DATE: _____ | |

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO34042

Purchase Order Date 10/25/2016

PO Print Date 10/25/2016

Page Number 1 of 3

Order From :

METAUX CASTLE
P.O. BOX 4090 STN A
TORONTO, ONTARIO M5W OE9
CANADA

VU-MET002

Ship To : DART AEROSPACE LTD

1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

E-MAILED

OCT 25 2016

Contact Name

Vendor Phone

Ship To Contact

Ship To Phone

Ship Via:

Yours ppd

Ship Acct:

Buyer

Chantal Lavoie

Customer POID

Customer Tax #

10127-2607

Terms

Net 30

Currency

USD

FOB

Destination-Collect

| Line Nbr | Reference Vendor Part Number Line Comments Delivery Comments | Description/ Mfg ID | Req Date/ Taxable Promise Date | CD | Req Qty/ Unit of Measure | PO Unit Price | Extended Price |
|--|--|--|--------------------------------------|----|--------------------------------|---------------|----------------------|
| 1 | M7075T6B0.375X8.000 | 7075-T6 Plate 0.375" X 8.000", QQ-A 250/12 | 11/8/2016 Yes 11/8/2016 | FN | 12.00 f | \$24.84 | \$298.08 |
| MATERIAL: 7075-T6 OR T651/T6510/T6511/T62 ALUMINUM BAR AS PER AMS-QQ-A-225/9 OR AMS 4122/4123/4186/4187 OR PER AMS-QQ-A-200/11 OR QQ-A-250/12 CUT FROM PLATE | | | | | | | Line Total: \$298.08 |
| 2 | M7075T6B5.000X0.375 | 7075-T6 BAR 5.000" X 0.375" | 11/8/2016 Yes 11/8/2016 | | 12.00 f | \$17.09 | \$205.08 |
| MATERIAL: 7075-T6 OR T651/T6510/T6511/T62 ALUMINUM BAR AS PER AMS-QQ-A-225/9 OR AMS 4122/4123/4186/4187 OR PER AMS-QQ-A-200/11 OR QQ-A-250/12 CUT FROM PLATE | | | | | | | Line Total: \$205.08 |

DAS
26
9-89

NOV 10 2016

Note:

10/25/2016



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO34042

Purchase Order Date 10/25/2016

PO Print Date 10/25/2016

Page Number 2 of 3

Order From :
METAUX CASTLE
P.O. BOX 4090 STN A
TORONTO, ONTARIO M5W OE9
CANADA

VU-MET002

Ship To : DART AEROSPACE LTD
1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

Contact Name
Vendor Phone

Ship To Contact

Ship To Phone

Ship Via: Yours ppd

Ship Acct:

Buyer

Customer POID

Customer Tax #

Terms

Currency

FOB

Chantal Lavoie

10127-2607

Net 30

USD

Destination-Collect

| | | | | | | |
|---|---------------------|-----------------------------|-----------|-------|---------|----------|
| 3 | M7075T6B6.000X0.250 | 7075-T6 BAR 6.000" X 0.250" | 11/8/2016 | 12.00 | \$15.64 | \$187.68 |
|---|---------------------|-----------------------------|-----------|-------|---------|----------|

Yes

f

11/8/2016

MATERIAL: 7075-T6 OR T651/T6510/T6511/T62 ALUMINUM BAR
AS PER AMS-QQ-A-225/9 OR AMS 4122/4123/4186/4187 OR
PER AMS-QQ-A-200/11 OR QQ-A-250/12 CUT FROM PLATE

Line Total: \$187.68

| | | | | | | |
|---|---------------------|-----------------------------|-----------|-------|---------|----------|
| 4 | M7075T6B6.000X1.000 | 7075-T6 BAR 6.000" X 1.000" | 11/8/2016 | 12.00 | \$41.34 | \$496.08 |
|---|---------------------|-----------------------------|-----------|-------|---------|----------|

Yes

f

11/8/2016

MATERIAL: 7075-T6 OR T651/T6510/T6511/T62 ALUMINUM BAR
AS PER AMS-QQ-A-225/9 OR AMS 4122/4123/4186/4187 OR
PER AMS-QQ-A-200/11 OR QQ-A-250/12 CUT FROM PLATE

Line Total: \$496.08

DAS
26
9-89

NOV 10 2016

Note:

10/25/2016



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO34042

Purchase Order Date 10/25/2016

PO Print Date 10/25/2016

Page Number 3 of 3

Order From :

VU-MET002

Ship To : DART AEROSPACE LTD

METAUX CASTLE
P.O. BOX 4090 STN A
TORONTO, ONTARIO M5W OE9
CANADA

1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

Contact Name

Vendor Phone

Ship To Contact

Ship To Phone

Ship Via: Yours ppd

Ship Acct:

Buyer

Customer POID

Customer Tax #

Terms

Currency

FOB

Chantal Lavoie

10127-2607

Net 30

USD

Destination-Collect

| | | | | | | | |
|---|---------------------|--|-----------|-------|---|-------------|----------|
| 5 | M7075T6B7.000X2.000 | 7075-T6 BAR 7.000" X 2.000" (order in billets - 13.375") | 11/8/2016 | 11.15 | ✓ | \$89.27 | \$995.00 |
| | | Yes | 11/8/2016 | f | | NOV 08 2016 | |

MATERIAL: 7075-T6 OR T651/T6510/T6511/T62 ALUMINUM BAR
AS PER AMS-QQ-A-225/9 OR AMS 4122/4123/4186/4187 OR
PER AMS-QQ-A-200/11 OR QQ-A-250/12 CUT FROM PLATE

NOTE: CUT 10 PCS AT 13.375", GRAIN DIRECTION ALONG 13.375"

| | | | | | | | |
|---|----------|--------------------------------|-----------|------|---|--------|--------|
| 6 | 71401-45 | PROCUREMENT QUALITY CLAUSES | 11/8/2016 | 1.00 | ✓ | \$0.00 | \$0.00 |
| | | No | 11/8/2016 | | | | |

Procurement Quality Clauses
A005 right of entry
A012 chemical and physical test report
A016 personnel qualification
A017 raw material identification (as applicable)
A026 certification of material conformance
A041 quality management system
A042 dart notification by supplier
A043 retention of quality documents

Line Total: \$995.00

Line Total: \$0.00

PO Total: \$2,181.92

Note: Terms & Condition of Purchasing(Suppliers) and Procurement Quality Clauses are an integral part of our AS9100 requirements. To learn in detail, please visit www.dartaerospace.com for further explanation.

Change Nbr: 1

Change Date: 10/25/2016